

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
13 November 2003 (13.11.2003)

PCT

(10) International Publication Number
WO 03/092885 A1

(51) International Patent Classification⁷: **B01J 20/02**,
B01D 53/14, 53/86, 39/02, A61L 9/01, 15/18

(21) International Application Number: PCT/US03/06650

(22) International Filing Date: 4 March 2003 (04.03.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
10/137,052 30 April 2002 (30.04.2002) US

(71) Applicant: **KIMBERLY-CLARK WORLDWIDE, INC.** [US/US]; 401 N. Lake Street, Neenah, WI 54956 (US).

(72) Inventor: **MACDONALD, John, Gavin**; 1472 Knollwood Terrace, Decatur, GA 30033 (US).

(74) Agents: **PETERSEN, Maxwell, J.**; Pauley Petersen Kinne & Erickson, 2800 West Higgins Road, Suite 365, Hoffman Estates, IL 60195 et al. (US).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,

GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

- as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for all designations
- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for all designations

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: METAL ION MODIFIED HIGH SURFACE AREA MATERIALS FOR ODOR REMOVAL AND CONTROL

(57) Abstract: This invention relates to high surface area materials, such as nanoparticles, that are coated with metal ions. These modified nanoparticles have active sites that bind various gases and/or odorous compounds, thereby removing these compounds from a medium such as air or water. Metal ions are adsorbed onto the surface of the nanoparticle and bound strongly to the surface. By selection of the metal ion, specific gaseous compounds and/or odorous compounds can be targeted and removed efficiently and effectively from both aqueous phase and from the air. The modified nanoparticles are useful in numerous article of manufacture for industrial and consumer use.

WO 03/092885 A1

METAL ION MODIFIED HIGH SURFACE AREA MATERIALS FOR ODOR REMOVAL AND CONTROL

FIELD OF THE INVENTION

5 This invention relates to modified high surface area materials useful in neutralizing or removing gases and/or odorous compounds. The high surface area material, such as a nanoparticle, is coated with metal ions that can bind with gas molecules and/or odorous compounds. The modified high surface area materials can be incorporated into various industrial and consumer products including absorbent articles, air and water filters,
10 household cleaners, fabrics, and paper towels.

BACKGROUND OF THE INVENTION

Many attempts have been made to formulate an effective odor removal system and various consumers products are available for combating odorous compounds. Some products are designed to cover up odors by emitting stronger, more dominant odors, examples
15 including scented air freshener sprays and candles. Another way to combat odorous compounds, including ammonia, methyl mercaptan, trimethylamine, and other various sulfides and amines, is to remove these compounds from a medium by deodorizing agents that will absorb these compounds.

Activated charcoal and sodium bicarbonate are two compounds commonly used
20 to absorb odors. However, activated charcoal typically has a low deodorizing ability, especially for ammonia odors and when in the presence of moisture, and the black color of charcoal lacks aesthetically pleasing characteristics desired in absorbent articles such as diapers. Sodium bicarbonate, and other white odor absorbents such as silica gel and zeolites, generally have a lower absorbency than activated charcoal and are therefore less effective.

25 Titanium oxide particle, such as taught in U.S. Patent 5,480,636 issued to Maruo et al., are also useful in removing a few odors such as ammonia. U.S. Patent 5,480,636 teaches adding zinc oxy or silicon oxy compounds to the titanium oxide to broaden the titanium oxide deodorizing capabilities. However, this approach is still limited by the photocatalytic nature of the titanium dioxide which requires light in order to convert odorous
30 compounds into non-odorous compounds. Also the titanium oxide compounds as disclosed in U.S. Patent 5,480,636 are not useable in aqueous solutions.

In addition to foul smelling compounds, there is a need for products capable of removing gases that, while not necessarily odorous, still cause a negative effect. One example

of such a gaseous compound is ethylene. Ethylene, a natural hormone, is released by fruits as a ripening agent. By removing ethylene gas, fruit ripening could be slowed and controlled, allowing for extended storage and transportation.

There is a need for a gas and/or odor removal/neutralizing compound that is effective both dry and in solution. There is a need for an effective odor removal/neutralizing compound that can be used in various industrial and consumer products. There is a need for a gas and/or odor removal/neutralizing compound that can be easily applied to various surfaces and materials.

SUMMARY OF THE INVENTION

This invention relates to high surface area materials that are coated with metal ions. These modified high surface area materials have active sites that bind at least one gaseous compound and/or odorous compound, thereby removing these compounds from a medium such as air or water. Nanoparticles are a type of high surface area materials useful in this invention to remove at least one of gaseous compounds and odorous compounds. At least one type of metal ion is adsorbed onto the surface of the nanoparticle and bound strongly to the surface. By selection of the metal ion, certain gaseous compounds and/or odorous compounds can be targeted and removed efficiently and effectively from both aqueous phase and from the air. This invention uses high surface area nanoparticles as templates to adsorb specific functionalities (metal ions) that target at least one of gaseous compounds and odorous compounds and form complexes with them and remove them from the media. For example, silica nanoparticles modified by copper ions (or alternatively, silver ions) were demonstrated to be effective in removing amine and sulfur based classes of odorous compounds.

It is one object of this invention to create an effective gaseous compound removal system. The invention is useful in various industrial and consumer products. It is another object of this invention to create a gaseous compound removal system for inhibiting the ripening of plant materials.

It is another object of this invention to create an effective odor removal compound useful in both aqueous phase and in the air. It is another object of this invention to create an effective odor removal compound that can effectively be used in various industrial and consumer products. This invention can be used in combination with various products for the removal of odors. Modified high surface area materials of this invention are useful in absorbent articles such as diapers and feminine products for removing odors. Modified high

surface area materials of this invention are useful in filtration devices and coated onto walls, wall paper, and glass for removal of odors. Modified high surface area materials of this invention are useful in oral care products such as mouthwash and chewing gum for the removal of compounds in the mouth that cause unpleasant odors.

5 The foregoing and other features and advantages will become further apparent from the following detailed description of the presently preferred embodiments read in conjunction with the drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

10 Fig. 1 is a drawing of a modified nanoparticle according to one embodiment of this invention.

Fig. 2A is a high performance liquid chromatography chromatogram.

Fig. 2B is a high performance liquid chromatography chromatogram.

Fig. 3A is a high performance liquid chromatography chromatogram.

Fig. 3B is a high performance liquid chromatography chromatogram.

15 DETAILED DESCRIPTION OF THE PRESENTLY PREFERRED EMBODIMENTS

This invention relates to high surface area materials, such as nanoparticles, modified with at least one metal ion. The modified high surface area materials of this invention are useful in removing gaseous compounds and/or odorous compounds. "Gaseous compound" or "gas" includes any molecule or compound that can exist as a gas or vapor. "Odorous compound" or "odor" refers to any molecule or compound detectable to the olfactory system. Odorous compounds can exist as a gaseous compound and can also be present in other media such as liquid.

20 The high surface area materials of this invention have at least one metal ion present on the surface of the high surface area material, and the metal ion creates an active site that binds with at least one gaseous compound and/or odorous compound thereby removing the compound from the surrounding environment. High surface area materials can also absorb certain gaseous compounds and/or odorous compounds from the surrounding environment by adsorption directly onto the surface area of the high surface area materials.

30 Gas and/or odor removing particles of this invention are modified high surface area materials. High surface area materials useful in this invention have a large surface area due to the small size of the individual particles of the high surface area material. High surface area materials useful in this invention have a suitable surface area of at least about 200 square

meters/gram, more suitably 500 square meters/gram, and more suitably 800 square meters/gram.

5 Nanoparticles are examples of high surface area materials useful in this invention. "Nanoparticle" refers to a high surface material having a particle diameter of less than about 500 nanometers. While the invention will be described hereinafter with particular reference to nanoparticles, it will be understood that the invention is useful with various high surface area materials. Fig. 1 shows a modified a nanoparticle 10 according to one embodiment of this invention, useful as a gas and/or odor removing particle. The modified nanoparticle 10 includes a nanoparticle 15 and metal ions 20. Fig. 1 shows a plurality of metal
10 ions 20, however modified nanoparticle 10 can have various amounts of metal ions 20 and will have at least one metal ion 20. The modified nanoparticle 10 is useful for removing various gaseous compounds and/or odorous compounds. The specific compound to be removed is generally dependent on the specific metal ions 20 used and the type of nanoparticle 15.

15 Nanoparticles useful in this invention include, without limitation, silica, alumina, magnesium oxide, titanium dioxide, iron oxide, gold, zinc oxide, copper oxide, organic nanoparticles such as polystyrene, and combinations thereof. Nanoparticles are not generally ionic yet still have an overall electric Zeta Potential. "Zeta Potential" refers to the electrical potential, or electrokinetic potential, that exists across the interface of all solids and liquids. Nanoparticles with either positive or negative Zeta Potentials are known. Naturally
20 occurring chemical reactions on the surface of a nanoparticle result in the Zeta Potential of that nanoparticle. For example, silica nanoparticles are tetrahedral complexes of silicon dioxide molecules. On the surface of the silica particles the silicon dioxide molecules can undergo chemical reactions forming silanol groups (SiOH) the silanol groups reacting with other silanol groups to form siloxane bonds (Si-O-Si bonds). The dehydration reactions of the silanol
25 groups to form the silanol bond and the reverse reactions result in a negative Zeta Potential and allow positively charged metal ions to adsorb onto the silica.

The nanoparticles useful in this invention will typically have a first Zeta Potential and a second Zeta Potential after adsorption of the metal ion onto the nanoparticle due to the addition of the oppositely-charged metal ions. The Zeta Potential change of the
30 nanoparticle is related to the amount of metal ions adsorbed onto the nanoparticle. This relationship provides a measurement for determining the amount of adsorbed metal ions and a method for controlling the amount of adsorption. For instance, the addition of a dilute

solution of copper chloride drop-wise to a silica nanoparticle solution until the Zeta Potential of the silica suspension changed from -25 millivolts to a higher Zeta Potential, such as in the range of about -5 millivolts to -15 millivolts, was found to be provide a sufficient concentration of metal ions adsorbed onto the nanoparticles to remove particular odorous compounds. In one embodiment of this invention the nanoparticle has a difference between the first and second Zeta Potential of at least about 1.0 millivolt and suitably at least about 5.0 millivolts.

The nanoparticles of this invention are modified with metal ions that ionically bond with compounds such as gases and odorous compounds. "Metal ion" refers to salt ions and/or ion complexes of transition metal elements designated as IB through VIIB on the periodic table. Other ions can be used in the invention as well. Metal ions are adsorbed onto high surface area materials due to differences in electric potential. Positively charged metal ions are adsorbed onto a negatively charged surface of a nanoparticle and vice versa. Examples of metal ions useful in this invention include, without limitation, copper ion (Cu^{+2}), silver ion (Ag^{+1}), gold ion (Au^{+1} and Au^{+3}), iron (II) ion (Fe^{+2}), iron (III) ion (Fe^{+3}), permanganate ion (MnO_4^{-1}), and combinations thereof.

In one embodiment of this invention the nanoparticle useful in this invention has a negative Zeta Potential and adsorbs positively charged metal ions. One suitable nanoparticle has a negative Zeta Potential of about -1 to -50 millivolts and suitably about -1 to -20 millivolts. In one embodiment of this invention the nanoparticle having a negative Zeta Potential is a silica nanoparticle. Silica nanoparticles useful in this invention are available from Nissan Chemical Industries, Ltd., Houston, Texas, under the name SNOWTEX®, have a particle size range of 1-100 nanometers. The silica nanoparticle can be modified with a positively charged metal ion such as copper ions, silver ions, gold ions, iron ions, and combinations thereof.

In another embodiment of this invention the nanoparticle useful in this invention has a positive Zeta Potential and adsorbs negatively charged metal ion complexes. One suitable nanoparticle has a positive first Zeta Potential of about 1 to 70 millivolts and suitably about 10 to 40 millivolts. In one embodiment of this invention the nanoparticle having a positive Zeta Potential is an alumina nanoparticle. Alumina nanoparticles are also available from Nissan Chemical Industries, Ltd., Houston, Texas, under the name ALUMINASOL®, and have size ranges of about 1-300 nanometers. The alumina

nanoparticle can adsorb negatively charged metal ions and metal ion complexes such as permanganate ions.

Current odor control materials such as activated charcoal or sodium bicarbonate rely on the surface area to absorb certain odors. Using these materials is not as effective at odor removal than the modified high surface area materials of this invention. The addition of a metal ion adsorbed onto the surface of a nanoparticle, as in this invention, provides an active site for capturing and neutralizing gases and odorous compounds. In addition, the modified nanoparticles of this invention still have the large surface area that is useful in absorbing other odorous compounds. The metal ion active sites of the modified nanoparticles are particularly useful in removing odorous compound such as mercaptans, ammonia, amines, and mono- and di-sulfides. Other odorous compounds such as aliphatic ketones, carboxylic acids, aliphatic aldehydes, and aliphatic terpenoids can be removed by adsorption onto the large surface area of the modified nanoparticles. Modified nanoparticles are useful in removing odors caused by sulfides, disulfides, trisulfides, thiols, mercaptans, ammonia, amines, isovaleric acid, acetic acid, propionic acid, hexanal, heptanal, 2-butanone, 2-pentanone, 4-heptanone, and combinations thereof. Modified nanoparticles can also remove gases such as ethylene gas, carvone, dienals, and terpenoids.

More than one type of metal ion can be coated on a nanoparticle. This has an advantage in that certain metal ions may be better at removing specific gases and/or odorous compounds than other metal ions. In one embodiment of this invention more than one type of metal ion are adsorbed onto a nanoparticle for more effectively removing more than one type of gaseous compound or odorous compound from a medium. In one embodiment of this invention more than one type of metal ion are adsorbed onto a nanoparticle for removing at least one gaseous compound and at least one odorous compound from a medium.

Modified nanoparticles of this invention can be used in combination with other modified nanoparticles for effective removal of various gases and odors. In one embodiment of this invention copper ion modified silica nanoparticles are used in combination with permanganate ion modified magnesium oxide nanoparticles. By using the two different modified nanoparticles in combination, numerous odorous compounds can be removed. For example, the modified silica nanoparticle is useful for removing sulphur and amine odors and the modified magnesium oxide nanoparticle is useful in removing carboxylic acid odors.

Combining modified nanoparticles of this invention allow for removal of a broader range of odors.

Modified nanoparticles are made by mixing nanoparticles with solutions containing metal ions. Such solutions are generally made by dissolving metallic compounds into a solvent resulting in free metal ions in the solution. The metal ions are drawn to and adsorbed onto the nanoparticles due to the electric potential differences. The Zeta Potential of a nanoparticle changes after the adsorption of metal ions according to this invention. Thus the Zeta Potential can be used to monitor the adsorption of metal ions onto the nanoparticle.

Modified high surface area materials according to this invention are versatile and can be used alone or in combination with other articles of manufacture for effective odor removal and control. Unlike activated charcoal deodorants, the modified nanoparticles of this invention maintain their odor neutralizing effects in solution. The modified nanoparticles of this invention also maintain odor neutralizing properties when dry and in aerosol form. This versatility allows for uses in various commercial products. Other advantages of the modified nanoparticles are that they are colorless in solution and white in powder form (activated charcoal is typically black). Modified high surface area materials of this invention can also be used in combination with other commercially available odor removal materials.

Modified nanoparticles of this invention can be applied to various materials. In one embodiment of this invention modified nanoparticles are held onto a surface of a material by the electrical potential differences between the modified nanoparticle (Zeta Potential) and the material surface (Streaming Potential).

Modified nanoparticles of this invention can be applied as a solution to a surface and dried resulting in a surface that absorbs gas and/or odors. In one embodiment of this invention the modified nanoparticles are used in air filters, such as house filters, vent filters, disposable face masks, and face mask filters. In another embodiment the modified nanoparticles can be applied to walls, wallpaper, glass, toilets, and/or countertops. For instance, the modified nanoparticles can be used in a restroom facility. Other uses include without limitation refrigerator mats and fabric softener sheets.

In one embodiment of this invention the modified nanoparticle is coated onto a fibrous cloth. Various types of fibrous cloths are useful in this invention including, without limitation, cloth made from natural fibers such as wood pulp fibers, cotton fibers, and other plant fibers, and nonwoven webs including spunbond webs, meltblown webs, carded fiber

webs, air laid webs, and the like, made from thermoplastic materials such as polyolefin (e.g. polyethylene and polypropylene homopolymers and copolymers), polyesters, polyamines, and the like. Modified nanoparticles can be coated on various types of fabric, film, or fibers. Modified nanoparticles can be coated in various amounts depending on need. Suitably, modified nanoparticles are coated on fabrics, films, or fibers in an amount of about 0.001 to 10.0 grams per square meter and more suitably about 0.1 grams per square meter.

In another embodiment of this invention, the modified nanoparticle are used to absorb gases that plants produce to ripen fruit. Ethylene gas is produced by plants as a hormone to aid fruit ripening. By removing ethylene gas as it is produced, fruit ripening can be slowed and controlled. Permanganate ion modified alumina nanoparticles are useful in removing ethylene gas. In one embodiment the permanganate ion modified alumina nanoparticles are adsorbed onto spunbond polypropylene fabric. The fabric has a negative streaming potential and the positively charged nanoparticles are held strongly onto the fiber surface. The fabric can then be used in packaging and storing fruit such as bananas to inhibit ripening by removing ethylene gas. The fabric can be used to wrap the fruit, as a bag to hold the fruit, or swatches can be included in the current packaging. The modified nanoparticles can also be sprayed onto a box or other packaging material used in transportation and storage of fruit. In one embodiment the cloth has a purple color due to the permanganate ions, and when the fabric is saturated with ethylene the fabric changes to a brown color. This color change acts as an indicator that the fabric needs replacement.

Modified nanoparticles of this invention are useful in removing odorous compounds from solutions such as water and urine. The modified nanoparticles could be applied to water treatment systems for use in removing sulphurous compounds from well water or in toilet tanks to reduce the odors resulting from urine. The modified nanoparticles of this invention are so effective against removing offensive components in urine that the yellow color often present in urine is neutralized, leaving a clear liquid. The modified nanoparticles of this invention could also be used in liquid detergents and household cleaners to remove odors.

In one embodiment of this invention the modified nanoparticles are applied to an absorbent article. The term "absorbent article" includes without limitation diapers, training pants, swim wear, absorbent underpants, baby wipes, adult incontinence products, feminine hygiene products, absorbent tissues, medical garments, underpads, bandages, absorbent drapes, and medical wipes, as well as industrial work wear garments. In one embodiment the modified

nanoparticles can be added to the absorbent material of these products. In another embodiment the modified nanoparticles can be applied as a coating on any fabric or film layer, such as the inner liner or outer cover of a diaper. In one embodiment the modified nanoparticles can be applied as a coating on a breathable film of an outer cover of an absorbent article such as a
5 diaper or incontinence product to absorb odors. The modified nanoparticles can also be applied to paper towels and wet wipes for use in cleaning odorous liquids. The absorbent articles absorb the odorous liquid and the modified nanoparticles bind the odorous compounds from the liquid neutralizing the smell.

In another embodiment of this invention, the nanoparticles are used as aerosol
10 odor neutralizers/deodorants. The modified nanoparticles are packaged with a propellant that allows spraying the modified nanoparticles into the air for removal of gases and odorous compounds. The modified nanoparticles can be used in a household air freshener or be used in combination with a mist emitted from a vaporizer or humidifier.

The modified nanoparticles can be used in oral care. Sulphur and amine
15 compounds are often the reason for bad breath. Modified nanoparticles can be added to oral care products such as mouth washes, oral-care chewing gums, toothpaste and/or toothbrush fibers. Using a silica nanoparticle modified with copper ions would be one such modified nanoparticle useful in oral care. Silica is widely used in toothpastes as an abrasive and the modified nanoparticles typically contain small levels of copper ions, far below levels in
20 multiple vitamin tablets. Thus there should not be a health concerns with this use of the modified nanoparticles.

The modified nanoparticles are also useful as a breath indicator. Modified nanoparticles can be used as a color indicator in the presence of odorous compounds. In one embodiment of this invention a cellulose wipe coated with copper ion modified silica
25 nanoparticles is placed in a plastic tube such as a straw. When the user breathes into the straw the cellulose wipe turns from green to blue indicating odors such as ammonia vapor or sulfur compounds. A color change can occur with even a low amount of odorous compounds.

Example 1

A dilute suspension of modified silica nanoparticles was made by adding 1
30 milliliter of SNOWTEX C®, available from Nissan Chemical Industries, Ltd., Houston, Texas, to 9 milliliters of deionized water. The suspension was pipetted in equal portions into four cuvetts. Solutions of 0.01 percent by weight of each of copper chloride (CuCl_2), silver nitrate

(AgNO₃), and zinc chloride (ZnCl₂), all from Aldrich Chemical Company, Milwaukee, Wisconsin, were prepared and one drop of each was added to a separate cuvet. The Zeta Potential of all four suspension was then measured by a Zetapals Unit, available from Brookhaven Instruments Corp., Holtsville, New York. The Zeta potential of the SNOWTEX C control suspension was measured to be -25 millivolts. The Zeta potential of both the SNOWTEX C/copper chloride suspension and the SNOWTEX C/silver nitrate suspension were measured to be -11 millivolts. The Zeta potential of the SNOWTEX C/zinc chloride suspension was measured to be -8 millivolts. The difference in Zeta Potential between the solutions was evidence that the metal ions had absorbed onto the silica nanoparticle.

A furfuryl mercaptan solution was prepared for testing the odor removal properties of the modified silica nanoparticles. A stock solution of 0.001 percent by weight furfural mercaptan solution, available from Aldrich Chemical Co., Milwaukee, Wisconsin, was made in distilled water. The solution had a strong odor. High performance liquid chromatography (HPLC) was used to measure concentration changes. A Zorbax Eclipse XDB-C18, 4.6 by 150 millimeter, 5 micron column was used along with 100 percent acetonitrile eluent. One microliter of the furfuryl mercaptan solution was injected into the HPLC column with a flow rate of 0.25 milliliters/minute. Fig. 2A, the generated HPLC chromatogram, shows furfuryl mercaptan peak to have an area of 16918 milliabsorption units.seconds (maus).

One drop of the SNOWTEX C/copper ion suspension was then added to 10 milliliters of the furfuryl mercaptan solution. The furfuryl mercaptan odor rapidly disappeared and one microliter of this furfuryl mercaptan solution was injected into the HPLC column with a flow rate of 0.25 milliliters/minute. Fig. 2B, the generated HPLC chromatogram, shows the furfuryl mercaptan peak to have an area of 188 milliabsorption units.seconds (maus). The concentration of the furfuryl mercaptan was greatly reduced, and the detectable odor as well, with the addition of the modified nanoparticles.

Example 2

The SNOWTEX C/copper ion suspension was tested on human urine to determine the effectiveness in odor reduction. HPLC, as described in Example 1, was used to measure the components of urine (obtained from the inventor). One drop of the SNOWTEX C/copper ion suspension from Example 1 was tested against 0.1 gram of Purite Micronet MN-150 latex particles, available from Purolite Company, Philadelphia, Pennsylvania, and 0.1 gram of activated charcoal, available from Aldrich Chemical Co., Milwaukee, Wisconsin,

Each of these were added to a separate 3 grams of urine. The urine odor of the sample with the SNOWTEX C/copper ion suspension was almost completely eliminated after 3-5 seconds, compared to about 10 minutes for the activated charcoal. The latex particles never did remove the odor. Fig. 3A shows the HPLC chromatogram of the urine sample and Fig. 3B shows the chromatogram of the urine sample after the modified silica nanoparticles were added. Table 1 summarized the comparison of the HPLC peaks for the 4 samples. The modified silica nanoparticles performed substantially better in removing the urine components than the present commercial materials.

Table 1-Urine component HPLC peaks (peak retention time (minutes))

Sample	Area of peak at 3.87 min.	Area of peak at 4.04 min.	Area of peak at 4.77 min.	Area of peak at 5.64 min.	Area of peak at 5.88 min.	Area of peak at 6.23 min.
Urine	924 maus	345 maus	50 maus	17 maus	829 maus	228 maus
Urine + Modified Silica Nanoparticles	0	0	12 maus	0	701 maus	2 maus
Urine + Purite Latex Particles	773 maus	300 maus	0	17 maus	820 maus	156 maus
Urine + Activated Charcoal	900 maus	0	50 maus	17 maus	820 maus	10 maus

Example 3

The odor removal properties of a modified nanoparticle when dry and coated on a surface was tested by coating a 10.16 centimeter square one-ply HI-COUNT® paper towel, available from Kimberly-Clark Corporation, Neenah, Wisconsin, with the SNOWTEX C/copper ion suspension of Example 1 further diluted by 50 percent. The paper towel was coated by dipping the paper towel sample into the suspension. The wet paper towel was air-dried on a sheet of glass. The dried towel was placed over the mouth of a 100 milliliter beaker and held by a rubber band. The beaker contained 20 milliliter of the 0.001 percent by weight furfuryl mercaptan solution. A second untreated control HI-COUNT® paper towel was placed over an identical beaker as a control. The odors from the furfuryl mercaptans penetrated the untreated paper towel. However, no odors penetrated the paper towel treated with the

modified nanoparticles for about three hours. After three hours the modified nanoparticles were saturated and the odors were detectable. The treated paper towel developed a dark area over the beaker during testing resulting from the binding of the furfuryl mercaptans.

Example 4

5 The odor removing properties of modified nanoparticles as an invisible coating on a bathroom tile was tested by treating a standard bathroom tile (15 centimeter x 15 centimeter) from Home Depot with copper modified silica nanoparticles of Sample 1. The suspension of copper modified silica nanoparticles was applied to a KIM-WIPE®. The moist KIM-WIPE® was used to wipe the bathroom tile surface and a second dry KIM-WIPE® was used to wipe off any excess liquid. 3.6 microliters of ammonia, 28 percent ammonia in water, available from Aldrich Chemical Co., Milwaukee, Wisconsin, was introduced to a laboratory desiccator via syringe and after 10 minutes an aliquot of the air/odor was sampled and analyzed to determine the concentration of ammonia in the desiccator. The experiment was repeated three times; once with no tile in the desiccator, once with an untreated control tile in the desiccator, and once with the modified nanoparticle treated tile in the desiccator. The ammonia gas was measured by use of a Drager tube, available from SKC, Inc., Pennsylvania, which could measure ammonia in air concentrations from 2 to 30 parts per million. A volume of 60 milliliters of the air/odor was pulled out of the desiccator by means of a syringe. The Drager tube was connected by Tygon tubing between the desiccator and the syringe. The ammonia concentration in the desiccator was measured at 20 parts per million with no tile and with the untreated tile. The ammonia concentration in the desiccator with the modified nanoparticle treated tile was measured at less than 2 parts per million. The modified nanoparticles on the standard bathroom tile were effective in substantially reducing ammonia gas and odor.

Example 5

25 The following experiment was performed to demonstrate the use of modified nanoparticles of this invention in extending the shelf life of fruit. Permanganate modified alumina nanoparticles were adsorbed onto a 5.0 centimeter by 5.0 centimeter piece of 2 ounce spunbond polypropylene fabric at a level of 0.01 percent modified nanoparticle weight/fabric weight. The amount of permanganate ion was approximately 0.0001 percent ion weight/nanoparticle weight, monitored by measuring the change in nanoparticle Zeta Potential. Each of three yellow bananas with no brown spots from the same bunch were placed into an

airtight bag. In the first airtight bag the modified nanoparticle treated fabric was placed. In the second bag contained an untreated 5.0 centimeter square spunbond polypropylene fabric as a control. The third bag contained no fabric piece also as a control. The three airtight bags were stored at ambient temperature for four weeks. At the end of four weeks the bananas in the two control bags were completely black, soft to the touch, and oozing liquid. The banana in the bag with the modified nanoparticle treated fabric was firm to the touch and had only a few brown markings. This demonstrated that the ripening process was slowed by the modified nanoparticles.

Example 6

To demonstrate the odor removing properties of modified organic nanoparticle of this invention copper ions were adsorbed onto polystyrene nanoparticles. A dilute suspension of modified polystyrene nanoparticles was made by adding 1.0 milliliter of polystyrene nanoparticle suspension, the nanoparticles having a particle diameter of 64 nanometers, available from Polysciences, Inc., Warrington, Pennsylvania, to 9.0 milliliters of deionized water. The polystyrene nanoparticle suspension had a Zeta Potential of -49 millivolts, as measured by the Zetapals Unit as in Example 1. Two drops of 0.01 percent by weight copper chloride (CuCl_2) solution was added to the polystyrene nanoparticle suspension. After the addition of the 2 drops of copper chloride solution the Zeta Potential of the polystyrene solution was measured at -16 millivolts, thus confirming copper ion adsorption onto the polystyrene nanoparticles. One drop of the modified nanoparticle solution was added to a 2.0 milliliters of 0.001 percent by weight solution of furfuryl mercaptan. High performance liquid chromatography as described in Example 1 was used to measure furfuryl mercaptan presence before and after adding the modified nanoparticles. The area of the furfuryl mercaptan peak before the addition of the modified nanoparticles was 193 milliabsorption units and after the addition of the modified nanoparticles was 14 milliabsorption units. The copper modified polystyrene nanoparticles are useful in removing sulphurous compounds.

Example 7

A dilute suspension of modified silica nanoparticles was made by adding 1 milliliter of SNOWTEX C®, available from Nissan Chemical Industries, Ltd., Houston, Texas, to 9 milliliters of deionized water. The suspension was pipetted in equal portions into three different cuvetts. Solutions of 0.01 percent by weight of each of copper chloride (CuCl_2), iron

(II) chloride (FeCl_2), and iron (III) chloride (FeCl_3), all from Aldrich Chemical Company, Milwaukee, Wisconsin, were prepared and one drop of each was added to a separate cuvet. The Zeta Potential of all three suspensions was then measured by a Zetapals Unit. The Zeta potential of the SNOWTEX C® control suspension was measured to be -22 millivolts. The Zeta potential of the SNOWTEX C/copper chloride suspension was measured at -10 millivolts, the SNOWTEX C/iron(II) chloride suspension at -13 millivolts, and the SNOWTEX C/iron (III) chloride suspension at +13 millivolts. One drop of each of the modified nanoparticle solutions was added to a separate 2.0 milliliter solution of 0.001 percent by weight furfuryl mercaptan. High performance liquid chromatography as described in Example 1 was used to measure furfuryl mercaptan presence before and after adding the different modified nanoparticles. The results are summarized in Table 2. Each of the modified nanoparticles were successful in removing furfural mercaptan from the solution. Additionally, iron (III) ion modified silica nanoparticles had a positive Zeta Potential which can allow application to fabrics made from materials such as polypropylene, polyethylene, nylon, and cotton, which have negative value streaming potentials.

Table 2

Sample	Zeta Potential	Area of furfuryl mercaptan peak	Percent of odor removed
SNOWTEX C/ Cu^{+2}	-10	3.2 maus	97%
SNOWTEX C/ Fe^{+2}	-13	38 maus	67%
SNOWTEX C/ Fe^{+3}	+13	3.4 maus	97%

While the embodiments of the invention described herein are presently preferred, various modifications and improvements can be made without departing from the spirit and scope of the invention. The scope of the invention is indicated by the appended claims, and all changes that fall within the meaning and range of equivalents are intended to be embraced therein.

I Claim:

1. A composition, comprising:
a high surface area material; and
at least one metal ion adsorbed onto the high surface area material.
2. The composition of Claim 1, wherein at least one of the high surface area material and the metal ion is capable of binding at least one compound selected from the group consisting of gaseous compounds, odorous compound, and combinations thereof.
3. The composition of Claim 1, wherein the high surface area material comprises a surface area of at least about 200 square meters/gram.
4. The composition of Claim 3, wherein the high surface area material comprises a surface area of at least about 500 square meters/gram.
5. The composition of Claim 4, wherein the high surface area material comprises a surface area of at least about 800 square meters/gram.
6. The composition of Claim 1, wherein the high surface area material comprises a nanoparticle.
7. The composition of Claim 6, wherein the nanoparticle comprises a diameter of less than 500 nanometers.
8. The composition of Claim 6, wherein the nanoparticle comprises a compound selected from the group consisting of silica, alumina, magnesium oxide, titanium dioxide, iron oxide, gold, zinc oxide, copper oxide, polystyrene, and combinations thereof.
9. The composition of Claim 1, wherein the at least one metal ion comprises an ion selected from the group consisting of copper ion, silver ion, gold ion, permanganate ion, chlorite ion, persulfate ion, iron ion, and combinations thereof.

10. The composition of Claim 1, wherein the odorous compound comprises a compound selected from the group consisting of sulfur containing compounds, nitrogen containing compounds, carboxylic acids, alcohols, aliphatic aldehydes, aliphatic ketones, and combinations thereof.

11. The composition of Claim 10, wherein the odorous compound comprises a compound selected from the group consisting of sulfides, disulfides, trisulfides, thiols, mercaptans, ammonia, amines, isovaleric acid, acetic acid, propanoic acid, hexanal, heptanal, 2-butanone, 2-pentanone, 4-heptanone, carvone, and combinations thereof.

12. The composition of Claim 1, wherein the gaseous compound comprises a compound selected from the group consisting of ethylene gas, carvone, dienals, terpenoids, and combinations thereof.

13. A composition for neutralizing odor, comprising:
a nanoparticle comprising a negative first Zeta Potential; and
at least one metal ion adsorbed onto the nanoparticle;
wherein at least one of the nanoparticle and the metal ion is capable of binding at least one odorous compound.

14. The composition of Claim 13, wherein the nanoparticle comprises a negative first Zeta Potential of about -1 to -50 millivolts.

15. The composition of Claim 14, wherein the nanoparticle comprises a negative first Zeta Potential of about -1 to -20 millivolts.

16. The composition of Claim 14, further comprising a second higher Zeta Potential after adsorption of the at least one metal ion onto the nanoparticle.

17. The composition of Claim 13, wherein the nanoparticle comprises a diameter of less than 500 nanometers.

18. The composition of Claim 13, wherein the composition comprises a nanoparticle selected from the group consisting of silica, titanium dioxide, gold, zinc oxide, polystyrene, and combinations thereof.

19. The composition of Claim 13, wherein the nanoparticle comprises a surface area of at least about 200 square meters/gram.

20. The composition of Claim 19, wherein the nanoparticle comprises a surface area of at least about 500 square meters/gram.

21. The composition of Claim 20, wherein the nanoparticle comprises a surface area of at least about 800 square meters/gram.

22. The composition of Claim 13, wherein the composition comprises a metal ion selected from the group consisting of copper ion, silver ion, gold ion, and combinations thereof.

23. The composition of Claim 13, wherein the at least one odorous compound comprises a compound selected from the group consisting of sulfur containing compounds, nitrogen containing compounds, carboxylic acids, alcohols, aliphatic aldehydes, aliphatic ketones, and combinations thereof.

24. A composition for removing gaseous compounds, comprising:
a nanoparticle comprising a positive Zeta Potential; and
at least one metal ion adsorbed onto the nanoparticle;
wherein at least one of the nanoparticle and the metal ion is capable of binding at least one gaseous compound.

25. The composition of Claim 24, wherein the nanoparticle comprises a positive first Zeta Potential of about 1 to 70 millivolts.

26. The composition of Claim 25, wherein the nanoparticle comprises a positive first Zeta Potential of about 10 to 40 millivolts.
27. The composition of Claim 25, further comprising a second lower Zeta Potential after adsorption of the at least one metal ion onto the nanoparticle.
28. The composition of Claim 24, wherein the nanoparticle comprises a diameter of less than 500 nanometers.
29. The composition of Claim 24, wherein the composition comprises a nanoparticle selected from the group consisting of alumina, magnesium oxide, and combinations thereof.
30. The composition of Claim 24, wherein the nanoparticle comprises a surface area of at least about 200 square meters/gram.
31. The composition of Claim 30, wherein the nanoparticle comprises a surface area of at least about 500 square meters/gram.
32. The composition of Claim 31, wherein the nanoparticle comprises a surface area of at least about 800 square meters/gram.
33. The composition of Claim 24, wherein the composition comprises a metal ion complex selected from the group consisting of permanganate ion, chlorite ion, persulfate ion, and combinations thereof.
34. The composition of Claim 24, wherein the at least one gaseous compound comprises a compound selected from the group consisting of ethylene gas, carvone, terpenoids, and combinations thereof.
35. A composition for removal of gaseous compounds and odorous compounds, comprising:

a first modified nanoparticle, comprising a nanoparticle comprising a positive Zeta Potential and at least one negatively charged metal ion complex adsorbed onto the first modified nanoparticle; and

a second modified nanoparticle, comprising a nanoparticle comprising a negative Zeta Potential and at least one positively charged metal ion adsorbed onto the second modified nanoparticle;

wherein the first modified nanoparticle is capable of binding a first gaseous compound and the second nanoparticle is capable of binding a second gaseous compound.

36. The composition of Claim 35, wherein the first modified nanoparticle comprises a nanoparticle selected from the group consisting of alumina, magnesium oxide, and combinations thereof.

37. The composition of Claim 35, wherein the at least one negatively charged metal ion complex comprises a metal ion selected from the group consisting of permanganate ion, chlorite ion, persulfate ion, and combinations thereof.

38. The composition of Claim 35, wherein the second modified nanoparticle comprises a nanoparticle selected from the group consisting of silica, titanium dioxide, gold, zinc oxide, polystyrene, and combinations thereof.

39. The composition of Claim 35, wherein the at least one positively charged metal ion comprises a metal ion selected from the group consisting of copper ion, silver ion, gold ion, iron ion, and combinations thereof.

40. The composition of Claim 35, wherein at least one of the first gaseous compound and the second gaseous compound comprises an odorous compound.

41. An article of manufacture, comprising:
a nanoparticle; and
at least one metal ion adsorbed onto the nanoparticle;

wherein at least one of the nanoparticle and the metal ion is capable of binding at least one compound selected from the group consisting of gaseous compounds, odorous compound, and combinations thereof.

42. The article of Claim 41, wherein the nanoparticle comprises a diameter of less than 500 nanometers.

43. The article of Claim 42, wherein the nanoparticle comprises a compound selected from the group consisting of silica, alumina, magnesium oxide, titanium dioxide, gold, zinc oxide, iron oxide, polystyrene, and combinations thereof.

44. The article of Claim 41, wherein the nanoparticle comprises a surface area of at least about 200 square meters/gram.

45. The article of Claim 41, wherein the at least one metal ion comprises an ion selected from the group consisting of copper ion, silver ion, gold ion, permanganate ion, chlorite ion, persulfate ion, iron ion, and combinations thereof.

46. The article of Claim 41, wherein the odorous compound comprises a compound selected from the group consisting of sulfur containing compounds, nitrogen containing compounds, carboxylic acids, alcohols, aliphatic aldehydes, aliphatic ketones, and combinations thereof.

47. The article of Claim 41, wherein the gaseous compound comprises a compound selected from the group consisting of ethylene, carvone, dienals, terpenoids, and combinations thereof.

48. The article of Claim 41, wherein the nanoparticle is adsorbed onto the article of manufacture by an electric potential difference between the nanoparticle and the article of manufacture.

49. The article of Claim 41, wherein the article of manufacture comprises an absorbent article.
50. The article of Claim 49, comprising a diaper.
51. The article of Claim 49, comprising a feminine hygiene product.
52. The article of Claim 41, comprising a paper towel.
53. The article of Claim 41, comprising an aerosol spray.
54. The article of Claim 41, comprising a household cleaner.
55. The article of Claim 41, comprising an oral hygiene product.
56. The article of Claim 41, comprising an filtering article.
57. The article of Claim 56, wherein the filtering article is selected from the group consisting of air filters, vent filters, face mask filters, and combinations thereof.
58. The article of Claim 41, comprising a breathable film.
59. A method for producing a modified nanoparticle, comprising:
adsorbing at least one metal ion onto a nanoparticle comprising a first Zeta Potential; and
measuring the metal ion adsorption by a change in the Zeta Potential of the nanoparticle.
60. The method of Claim 59, wherein adsorbing the metal ion comprises adding drops of a metal ion solution into an aqueous nanoparticle suspension.

61. The method of Claim 59, further comprising changing the Zeta Potential of the nanoparticle at least about 1.0 millivolt.

62. The method of Claim 61, further comprising changing the Zeta Potential of the nanoparticle at least about 5.0 millivolts.

63. A modified nanoparticle, comprising:
a nanoparticle; and
at least one metal ion adsorbed onto the nanoparticle;
wherein the nanoparticle comprises a first Zeta Potential before adsorption of the metal ion and a second Zeta Potential after adsorption and a difference between the first Zeta Potential and the second Zeta Potential of about 1.0 millivolt.

64. The modified nanoparticle of Claim 63, wherein the second Zeta Potential is determined by an add-on amount of adsorbed metal ions.

65. The modified nanoparticle of Claim 63, wherein the nanoparticle comprises a first Zeta Potential of about 1 to 70 millivolts.

66. The modified nanoparticle of Claim 63, wherein the nanoparticle comprises a first Zeta Potential of about -1 to -50 millivolts.

67. The modified nanoparticle of Claim 63, further comprising a difference between the first Zeta Potential and the second Zeta Potential of about 5.0 millivolts.

1/3








FIG. 1

**FIG. 2A****FIG. 2B**

**FIG. 3A****FIG. 3B**

INTERNATIONAL SEARCH REPORT

Internet Application No

PCT/US 03/06650

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 B01J20/02 B01D53/14 B01D53/86 B01D39/02 A61L9/01 A61L15/18											
According to International Patent Classification (IPC) or to both national classification and IPC											
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) IPC 7 B01J B01D A61L											
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched											
Electronic data base consulted during the International search (name of data base and, where practical, search terms used) EPO-Internal, WPI Data, PAJ, INSPEC											
C. DOCUMENTS CONSIDERED TO BE RELEVANT <table border="1"> <thead> <tr> <th>Category *</th> <th>Citation of document, with indication, where appropriate, of the relevant passages</th> <th>Relevant to claim No.</th> </tr> </thead> <tbody> <tr> <td>X</td> <td> US 4 775 585 A (HOSHINO SHIGETAKA ET AL) 4 October 1988 (1988-10-04) column 2, line 38 - column 3, line 6 column 3, line 35 - line 52 column 4, line 3 - line 17 column 4, line 48 - line 49 column 6, line 36 - column 6, line 65 column 9, line 49 - line 60 column 10, line 1 - line 6 table 2 claims 1,3,5 </td> <td>1-52, 63-67</td> </tr> <tr> <td>X</td> <td> US 2002/005145 A1 (SHERMAN JONATHAN) 17 January 2002 (2002-01-17) abstract paragraphs '0203!-'0208!,'0244! --- -/-- </td> <td>1-52, 63-67</td> </tr> </tbody> </table>			Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.	X	US 4 775 585 A (HOSHINO SHIGETAKA ET AL) 4 October 1988 (1988-10-04) column 2, line 38 - column 3, line 6 column 3, line 35 - line 52 column 4, line 3 - line 17 column 4, line 48 - line 49 column 6, line 36 - column 6, line 65 column 9, line 49 - line 60 column 10, line 1 - line 6 table 2 claims 1,3,5	1-52, 63-67	X	US 2002/005145 A1 (SHERMAN JONATHAN) 17 January 2002 (2002-01-17) abstract paragraphs '0203!-'0208!,'0244! --- -/--	1-52, 63-67
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.									
X	US 4 775 585 A (HOSHINO SHIGETAKA ET AL) 4 October 1988 (1988-10-04) column 2, line 38 - column 3, line 6 column 3, line 35 - line 52 column 4, line 3 - line 17 column 4, line 48 - line 49 column 6, line 36 - column 6, line 65 column 9, line 49 - line 60 column 10, line 1 - line 6 table 2 claims 1,3,5	1-52, 63-67									
X	US 2002/005145 A1 (SHERMAN JONATHAN) 17 January 2002 (2002-01-17) abstract paragraphs '0203!-'0208!,'0244! --- -/--	1-52, 63-67									
<input checked="" type="checkbox"/> Further documents are listed in the continuation of box C. <input checked="" type="checkbox"/> Patent family members are listed in annex.											
* Special categories of cited documents : <table border="0"> <tr> <td style="vertical-align: top;"> *A* document defining the general state of the art which is not considered to be of particular relevance *E* earlier document but published on or after the International filing date *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) *O* document referring to an oral disclosure, use, exhibition or other means *P* document published prior to the International filing date but later than the priority date claimed </td> <td style="vertical-align: top;"> *T* later document published after the International filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. *&* document member of the same patent family </td> </tr> </table>			*A* document defining the general state of the art which is not considered to be of particular relevance *E* earlier document but published on or after the International filing date *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) *O* document referring to an oral disclosure, use, exhibition or other means *P* document published prior to the International filing date but later than the priority date claimed	*T* later document published after the International filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. *&* document member of the same patent family							
A document defining the general state of the art which is not considered to be of particular relevance *E* earlier document but published on or after the International filing date *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) *O* document referring to an oral disclosure, use, exhibition or other means *P* document published prior to the International filing date but later than the priority date claimed	*T* later document published after the International filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. *&* document member of the same patent family										
Date of the actual completion of the International search		Date of mailing of the International search report									
8 September 2003		24.09.03									
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016		Authorized officer Gosselin, D									

INTERNATIONAL SEARCH REPORT

Internet Application No
PCT/US 03/06650

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 1 053 788 A (TOTO LTD) 22 November 2000 (2000-11-22) paragraph '01351; table 1	1-52, 63-67
X	MALIK D J ET AL: "Characterisation of novel modified active carbons and marine algal biomass for the selective adsorption of lead" WATER RESEARCH, ELSEVIER SCIENCE PUBLISHERS, AMSTERDAM, NL, vol. 36, no. 6, March 2002 (2002-03), pages 1527-1538, XP004343019 ISSN: 0043-1354 abstract; table 1	1-5, 13-40, 63-67
X	US 4 172 781 A (GRUTSCH JAMES F ET AL) 30 October 1979 (1979-10-30) column 8, line 9 -column 9, line 2 claims 17,20,36	1-52, 59-67
X	US 6 254 894 B1 (RAFTER JOHN D ET AL) 3 July 2001 (2001-07-03) column 2, line 18 - line 50 column 3, line 53 -column 4, line 6 column 4, line 40 - line 56 claims 1,2,5,6,14,18	1-52, 59-67
X	US 5 663 224 A (EMMONS WILLIAM DAVID ET AL) 2 September 1997 (1997-09-02) column 8, line 61 - line 67 column 9, line 22 - line 32 column 14, line 41 - line 51 column 15, line 20 - line 25 column 16, line 63 -column 17, line 7	59-62
X	EP 0 251 783 A (JOHNSON MATTHEY PLC) 7 January 1988 (1988-01-07) page 2, line 8 - line 9 page 2, line 56 -page 3, line 24 page 3, line 49 - line 50	1-12, 41-52
A	WO 02 26272 A (SALVONA L L C) 4 April 2002 (2002-04-04) page 1, line 1 -page 2, line 7 page 3, line 6 - line 9 page 5, line 23 - line 25 page 8, line 25 - line 28 page 9, line 6 - line 23	49-52,54

INTERNATIONAL SEARCH REPORT

 Internat Application No
 PCT/US 03/06650

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 4775585	A	04-10-1988	JP 1729959 C	29-01-1993
			JP 59133235 A	31-07-1984
			JP 63054013 B	26-10-1988
			AU 549375 B2	23-01-1986
			CA 1253992 A1	09-05-1989
			DE 3461240 D1	02-01-1987
			EP 0116865 A1	29-08-1984
			US 4911899 A	27-03-1990
			US 4911898 A	27-03-1990
US 2002005145	A1	17-01-2002	WO 0142140 A1	14-06-2001
EP 1053788	A	22-11-2000	JP 11192436 A	21-07-1999
			AU 8748498 A	28-06-1999
			BR 9813433 A	24-10-2000
			EP 1053788 A1	22-11-2000
			CN 1281388 T	24-01-2001
			EP 1327475 A2	16-07-2003
			WO 9929424 A1	17-06-1999
			US 2001036897 A1	01-11-2001
US 4172781	A	30-10-1979	NONE	
US 6254894	B1	03-07-2001	US 5935609 A	10-08-1999
			US 5772896 A	30-06-1998
			AU 718005 B2	06-04-2000
			AU 2441497 A	29-10-1997
			EP 0917520 A1	26-05-1999
			WO 9737939 A1	16-10-1997
			ZA 9702867 A	25-01-1999
US 5663224	A	02-09-1997	AU 669344 B2	06-06-1996
			AU 3129593 A	28-06-1993
			BR 9206865 A	30-05-1995
			CA 2124851 A1	10-06-1993
			CN 1072935 A ,B	09-06-1993
			DE 69220239 D1	10-07-1997
			DE 69220239 T2	29-01-1998
			EP 0615528 A1	21-09-1994
			ES 2102531 T3	01-08-1997
			JP 7502058 T	02-03-1995
			JP 3278847 B2	30-04-2002
			MX 9206909 A1	31-08-1994
			NZ 245247 A	26-07-1995
			TW 510824 B	21-11-2002
			WO 9311183 A1	10-06-1993
			ZA 9209303 A	03-06-1993
EP 0251783	A	07-01-1988	AT 87794 T	15-04-1993
			AU 599995 B2	02-08-1990
			AU 7505487 A	07-01-1988
			DE 3785253 D1	13-05-1993
			DE 3785253 T2	12-08-1993
			EP 0251783 A2	07-01-1988
			ES 2054673 T3	16-08-1994
			FI 872964 A ,B,	04-01-1988
			JP 8005767 B	24-01-1996
			JP 63088109 A	19-04-1988

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US 03/06650

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:

2. ☒ Claims Nos.:
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
see FURTHER INFORMATION sheet PCT/ISA/210

3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this International application, as follows:

see additional sheet

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.

2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.

3. ☒ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
1-52, 59-67

4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

☐ The additional search fees were accompanied by the applicant's protest.

☒ No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Continuation of Box I.2

Present claims 2, 10 to 12, 13, 23, 24, 34, 35, 40, 41, 46 and 47 relate to a product defined by reference to a desirable characteristic or property, namely by reference to a method of using the composition rather than clearly defining said composition in terms of its technical features.

The claims cover all products having this characteristic or property, whereas the application provides support within the meaning of Article 6 PCT and/or disclosure within the meaning of Article 5 PCT for only a very limited number of such products. In the present case, the claims so lack support, and the application so lacks disclosure, that a meaningful search over the whole of the claimed scope is impossible. Independent of the above reasoning, the claims also lack clarity (Article 6 PCT).

An attempt is made to define the product by reference to a result to be achieved. Again, this lack of clarity in the present case is such as to render a meaningful search over the whole of the claimed scope impossible. Consequently, the search has been carried out for those parts of the claims which appear to be clear, supported and disclosed, namely the composition comprising a high surface area material and at least one metal ion adsorbed onto the said material.

It is further submitted that technical features based on zeta potential values do not seem to be commonly used in the technical field of the application in order to define absorbent compositions, the applicant should at least establish novelty and inventive step of the subject-matter of the concerned claims over compositions disclosed in the cited documents.

The indication of the result to be achieved have been ignored when carrying the search.

The applicant's attention is drawn to the fact that claims, or parts of claims, relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

1. Claims: 1-12

composition comprising a high surface area carrier and a metal ion adsorbed thereon without restriction on form or particle size

2. Claims: 41-52

articles comprising the composition of claim 6 in general, more particularly diapers, feminine hygiene products, paper towels without surface area or zeta potential restriction

3. Claim : 53

aerosol sprays comprising a composition according to claim 41

4. Claim : 54

household cleaner comprising a composition according to claim 41

5. Claim : 55

oral hygiene products comprising a composition according to claim 41

6. Claim : 56

filtering articles for liquids comprising a composition according to claim 41

7. Claim : 57

filters for air or gas comprising a composition according to claim 41

8. Claim : 58

breathable films comprising a composition according to claim 41

9. Claims: 13-40,59-67

a composition comprising a nanoparticle and a metal ion

FURTHER INFORMATION CONTINUED FROM PCT/SA/ 210

adsorbed thereon without surface area restriction and with
zeta potential conditions

